



E-CIGARETTE UPDATE

Public Health and Social Services Committee

January 14, 2020

Agenda

1

Youth Perception

2

Public Health Agency of Canada Investigation

3

Centres for Disease Control & Prevention Investigation

4

Legislative Status

Perceived Risk of Smoking E-Cigarettes Regularly

of Grade 7 to 12 students, in Niagara believe,...



Perceived Risk of Smoking E-Cigarettes Regularly

of Grade 7 to 12 students, in Ontario believe,...


37% there is a slight risk

23% there is a medium risk

19% don't know the risk


E-Cigarette Use in the past 30 days

of Grade 7 to 12 students, in Canada




PHAC Investigation

Lung Illness Associated with E-Cigarette Use, in Canada



PHAC Investigation

Lung Illness Associated with E-Cigarette Use



CDC Investigation

Data from December 17, 2019

2,506
hospitalizations

54
deaths


50
states

27
states

Patient Exposure:

Vitamin E acetate
THC
THC sources

CDC Investigation



Legislative Overview



Legislative Opportunities

Provincially

Automatic Prohibition for
selling e-cigarettes to minors

Ban flavoured products

Restrict purchases to
registered specialty stores

Provide public education



Nationally

Ban flavoured products

Set maximum nicotine
concentrations

Plain and stand packaging

Treatment for youth
cessation